



WOJNAROWSKI

PREZENTUJE

Occhio



Mito

Occhio



light is evolution

In the beginning, there was light, and light is evolution.
An evolution that is creative, that constantly renews itself
and that will never end. Light means life. Quality of light
means quality of life.



light is life



Mito

The myth of light.

Mito sospeso
product overview



Ø 40

Mito sospeso flat suspended luminaire
page 24 – 25

Mito sospeso trimless suspended luminaire
page 24 – 25

Mito sospeso up suspended luminaire
page 22 – 23

Mito sospeso due suspended luminaire
page 22 – 23



Ø 60

Mito sospeso flat suspended luminaire
page 28 – 29

Mito sospeso trimless suspended luminaire
page 28 – 29

Mito sospeso up suspended luminaire
page 26 – 27

Mito sospeso due suspended luminaire
page 26 – 27

Mito soffitto
product overview



Ø 20

Mito soffitto flat ceiling luminaire
page 38 – 39

Mito soffitto up ceiling luminaire
page 36 – 37



Ø 40

Mito soffitto flat ceiling luminaire
page 38 – 39

Mito soffitto up ceiling luminaire
page 36 – 37



Ø 60

Mito soffitto flat ceiling luminaire
page 38 – 39

Mito soffitto up ceiling luminaire
page 36 – 37

+ create your light
myOcchio.de



Mito soffitto flat hallway wall luminaire
page 38 – 39

Mito soffitto up hallway wall luminaire
page 36 – 37




Mito soffitto flat hallway wall luminaire
page 38 – 39

Mito soffitto up hallway wall luminaire
page 36 – 37




Mito soffitto flat hallway wall luminaire
page 38 – 39

Mito soffitto up hallway wall luminaire
page 36 – 37



Mito sospeso


Our masterpiece – perfection down to the last detail, unique in its design and function



Design Axel Meise, Christoph Kügler

Mito sospeso

suspended luminaires – touchless control



touchless control – with the help of »touchless« control, Mito sospeso near a user's hand can be controlled with a simple gesture – touchlessly and intuitively thanks to innovative infrared sensors.

Depending on the situation, gesture control can also be deactivated.

Magic moments: With Occhio »touchless control« Mito sospeso can be controlled as if by magic. Simple gestures are all it takes for Mito sospeso to change the light intensity and even the color of light. Switches, dimmers, etc. are a thing of the past.

Mito sospeso

suspended luminaires – up/down fading



One touch is enough to direct the light emitted by the Mito sospeso. Via gesture control or Occhio air, the light can be continuously faded up and down. This creates fascinating new possibilities in interior design that will inspire.




two in one – Mito sospeso offers double-sided light output with its two LED rings. The uplight and downlight can thereby be operated independently of each other.

up/down fading – a unique feature: Via touchless control or Occhio air, the full luminous power can be drawn from one side to the other.




Occhio air – intuitive
Bluetooth control (optional)



Mito sospeso

suspended luminaires – color tune




Mito adjusts to your mood: Via gesture control or Occhio air, you can decide which color temperature you prefer depending on the situation. Whether you opt for a more warmly lit atmosphere for relaxing in the evenings or a more stimulating, cooler light to get your work done: It's your choice – any time.



color tune – a feature for regulating the color temperature of Mito luminaires. A simple gesture or Occhio air lets you set the color temperature. From warm light tones with 2700 K to cooler light with 4000 K. A fixed, preset light color is also possible.





Occhio air – intuitive
Bluetooth control (optional)



Mito sospeso

suspended luminaires – height adjustment



height adjustment – the pendant length can be adjusted between 50 cm and 200 cm with an optional height-adjustment feature. As they move, the cables disappear into the canopy or even slide invisibly into the ceiling («trimless» version, see illustration).

Whether in the room or above a table: Thanks to a unique height adjustment feature, Mito sospeso can be adjusted easily and conveniently. A sophisticated reel mechanism ensures that the ring of Mito always remains horizontal at any desired height.

Mito

suspended luminaires

light source

»color tune« 2700 / 3000 / 3500 / 4000 K
preset or continuously adjustable via
gesture control and Occhio air,
high color LED (CRI 95)

light

lighting effects see page 30

surfaces head

matt white, matt black, matt silver,
matt gold, rose gold, bronze



surfaces cover

matt white



+ create your light
myOcchio.de

Mito sospeso 40
surface rose gold
lighting effect wide



Mito sospeso up – fix / var

surface mount, head ø 40 cm, pendant length max.
350 cm (fixed) / 50–200 cm (variable), 40 W, light
color continuously adjustable via »touchless control«
at the head or via Occhio air (2700–4000 K), alterna-
tively dimmable with trailing-edge phase cut dimmer



Mito sospeso due – fix / var

surface mount, head ø 40 cm, pendant length max. 350 cm (fixed) / 50–200 cm (variable), 40 W,
light color continuously adjustable via »touchless control« at the head or via Occhio air (2700–4000 K),
alternatively dimmable with trailing-edge phase cut dimmer, synchronized luminaire heads



Occhio air control (optional)
information can be found on
page 42–43


Mito

suspended luminaires

light source
»color tune« 2700 / 3000 / 3500 / 4000 K
preset or continuously adjustable via
gesture control and Occhio air,
high color LED (CRI 95)

light
lighting effects see page 30

surfaces head
matt white, matt black, matt silver,
matt gold, rose gold, bronze



surfaces base
matt white



+ create your light
myOcchio.de



Occhio air control (optional)
information can be found on
page 42–43

Mito sospeso flat – fix
for hollow ceiling, head ø 40 cm, pendant length
max. 350 cm, 40 W, light color continuously
adjustable via »touchless control« at the head
or via Occhio air (2700–4000 K), alternatively
dimmable with trailing-edge phase cut dimmer

Mito sospeso flat trimless – fix
with mounting element and cover
flush to the ceiling

Mito sospeso trimless – fix / var
recessed mount flush to the ceiling, head ø 40 cm,
pendant length max. 350 cm (fixed) / 50–200 cm
(variable), 40 W, light color continuously adjust-
able via »touchless control« at the head or via
Occhio air (2700–4000 K), alternatively dimmable
with trailing-edge phase cut dimmer



Mito sospeso 40 + 60
surfaces matt gold,
matt black, matt silver
lighting effect wide

Mito

suspended luminaires

light source

»color tune« 2700 / 3000 / 3500 / 4000 K
preset or continuously adjustable
via gesture control and Occhio air,
high color LED (CRI 95)

light

lighting effects see page 30

surfaces head

matt white, matt black, matt silver,
matt gold, rose gold, bronze



surfaces base

matt white



+ create your light
myOcchio.de



Mito sospeso up – fix / var

surface mount, head ø 60 cm, pendant length max.
350 cm (fixed) / 50–200 cm (variable), 60 W, light
color continuously adjustable via »touchless control«
at the head or via Occhio air (2700–4000 K), alterna-
tively dimmable with trailing-edge phase cut dimmer



Occhio air control (optional)
information can be found on
page 42–43

Mito sospeso due – fix / var

surface mount, head ø 60 cm, pendant length max. 350 cm (fixed) / 50–200 cm (variable), 60 W,
light color continuously adjustable via »touchless control« at the head or via Occhio air (2700–4000 K),
alternatively dimmable with trailing-edge phase cut dimmer, synchronized luminaire heads



Mito sospeso 40 + 60 up
surface matt white
lighting effect wide

Mito

suspended luminaires

light source

» color tune » 2700 / 3000 / 3500 / 4000 K
preset or continuously adjustable via
gesture control and Occhio air,
high color LED (CRI 95)

light

lighting effects see page 30

surfaces head

matt white, matt black, matt silver,
matt gold, rose gold, bronze



surfaces base

matt white



+ create your light
myOcchio.de



Mito sospeso 60 trimless
surface bronze
lighting effect wide



Mito sospeso flat – fix

for hollow ceiling, head ø 60 cm, pendant length
max. 350 cm, 60 W, light color continuously
adjustable via »touchless control« at the head
or via Occhio air (2700–4000 K), alternatively
dimnable with trailing-edge phase cut dimmer

Mito sospeso flat trimless – fix
with mounting element and cover
flush to the ceiling



Mito sospeso trimless – fix / var

recessed mount flush to the ceiling, head ø 60 cm,
pendant length max. 350 cm (fix) / 50–200 cm
(variabel), 60 W, light color continuously ad-
justable via »touchless control« at the head
or via Occhio air (2700–4000 K), alternatively
dimnable with trailing-edge phase cut dimmer





Occhio air control (optional)
information can be found on
page 42–43

Mito sospeso

lighting effect – double-sided





narrow

-  light guide – diffuse
-  lens optics – narrow



wide

-  light guide – flood
-  light guide – wide

Mito optics are manufactured in a complex casting process using optical silicone. A calculated rippled structure ensures the least possible glare and aesthetic light lines.



optic diffuse
for broad ceiling illumination

head


optic narrow
for concentrated, glare-free light



optic flood
for uniform ceiling illumination

head

optic wide
for directed, glare-free light




Mito soffitto

Sophisticated lighting technology and
exquisite design are harmoniously united



Mito soffitto


ceiling luminaires – color tune



color tune – a feature for regulating the color temperature of Mito luminaires. With the Occhio air app or controller, you can adjust the temperature of light according to the situation, from warm light tones with 2700 K to cooler light with 4000 K. A fixed, preset light color is also possible.



Occhio air – intuitive
Bluetooth control (optional)



Select the color temperature of the light as you desire for your space. »color tune« responds with nuance to any situation.

Mito

ceiling luminaires

light source

»color tune« 2700 / 3000 / 3500 / 4000 K
preset or continuously adjustable
via gesture control and Occhio air,
high color LED (CRI 95)

light

lighting effects see page 41

surfaces head

matt white, matt black, matt silver,
matt gold, rose gold, bronze



surfaces base

matt white



+ create your light
myOcchio.de

Mito soffitto 20 + 40 + 60 up
surfaces rose gold, matt gold,
rose gold, matt black, matt silver
lighting effect narrow



20

40

60

Mito soffitto up

surface mount, head ø 20, 40, 60 cm, 20, 40, 60 W, alternative light color customizable
or continuously adjustable via Occhio air (2700 – 4000 K)



Occhio air control (optional)
information can be found on
page 42–43

Mito

ceiling luminaires


light source
»color tune« 2700 / 3000 / 3500 / 4000 K
preset or continuously adjustable
via Occhio air , high color LED (CRI 95)

light
lighting effects see page 41

surfaces head
matt white, matt black, matt silver,
matt gold, rose gold, bronze

surfaces base
matt white

+ create your light
myOcchio.de



Occhio air control (optional)
information can be found on
page 42–43

Mito soffitto flat
recessed mount, head ø 20, 40, 60 cm, 20, 40, 60 W, alternative light color customizable
or continuously adjustable via Occhio air (2700–4000 K)

Mito sospeso flat trimless
with mounting element and cover flush to the ceiling



Mito soffitto 20 + 40 + 60 flat
surface matt white
lighting effect narrow

head

optic narrow

for concentrated, glare-free light


head


optic wide


for uniform room illumination


Mito soffitto

lighting effect – one-sided




 lens optics – narrow



 light guide – wide



 light guide – wide

Installation:
facing walls in hallway

Mito optics are manufactured in a complex casting process using optical silicone. A calculated rippled structure ensures the least possible glare and aesthetic light lines.

Occhio air

maximum ease of use for any situation



controller

With the Occhio air controller, you can operate luminaires and create moods in a room without using an app – at any time and anywhere in the room. The controller is available in four colors as a mobile table version or with a magnetic wall mount (optional).



app

The Occhio air app is available free of charge in the App Store or in Google Play. It can be downloaded on tablets or smartphones.



Download on the App Store | GET IT ON Google Play

Whether switching on, dimming, fading or creating entire lighting scenarios and groups – thanks to its simple setup and intuitive operation, Occhio air gives you customized light control with options you can change at any time.



Haus B, Munich: Elegant accents bring the rooms together through light. While the bronze Mito ceiling luminaires perfectly complement the interior color scheme of the lounge, the rose gold of the Mito suspended luminaires above the dining table provides a striking contrast.



Martin et Karczinski GmbH, Munich: The perfect light for successful communication.
Mito's suspended luminaires envelope conversations like a cloud and foster a creative atmosphere with a light that makes work pleasant. Whether in bronze, rose gold, silver or matt white, the numerous color combinations harmonize with the natural brick background.



Occhio store MUC, Munich: Elegant design meets the highest quality of light.
In addition to providing the perfect light, the unique design of Mito turns the office into a place of inspiration. The suspended luminaires create an ambiance in which work become a pure delight.

Imprint

Editor

Occhio GmbH
Wiener Platz 7
81667 Munich
Tel +49 89 44 77 86 30
Fax +49 89 44 77 86 39
info@occhio.de

Directors Axel Meise, Klaus-Peter Siemssen
HRB 133172/VAT ID DE 813 013 462

Concept / Design

Martin et Karczinski
www.martinetkarczinski.de

3D visualizations

Chris Faber

Photos

Robert Sprang, www.rsfotografie.de
Tim Klein (Getty Images)

Print

Druckerei Vogl GmbH & Co KG
Georg-Wimmer-Ring 9, 85604 Zorneding
www.druckerei-vogl.de

English

2017 | 08 – First Edition
Subject to errors and technical changes.

© Occhio GmbH 2017



tel . 32 735 0 537
biuro@wojnarowskilighting.pl

Porcelanova 23, bud. B
40-246 Katowice

NIP: 9542793763
REGON: 380582520

WWW.WOJNAROWSKILIGHTING.PL